ELSEVIER

Journal of Organometallic Chemistry 628 (2001) 283

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Author Index of Volume 628

Abou Rida, M., 1
Agbossou-Niedercorn, F., 114
Al-Jahdali, M., 91
Alt, H.G., 169, 211
Alvarez, S., 241
Alvarez Toledano, C., 107
Ashby, M.T., 275
Asirvatham, V.S., 275
Atwood, D.A., 71
Aullón, G., 241

Backer, M., 233
Baker, P.K., 91
Balakrishna, M.S., 76
Bazyakina, N., 30
Bellachioma, G., 255
Bernd, M., 183
Blechta, V., 81
Böttcher, H.-C., 144
Bradshaw, J.D., 241
Brar, A.S., 262
Bredeau, S., 30
Brunner, H., 39

Cai, Y.-P., 99
Cardaci, G., 255
Cherkasova, T.G., 195
Collin, J., 271
Copéret, C., 1
Císařová, I., 30, 81

Devillanova, F.A., 280
Domingos, A., 271
du Mont, W.-W., 280

Filippou, A.C., 11

Galat, K.J., 241
Galding, M.R., 195
Giuseppone, N., 271
Graf, M., 144
Grobelny, Z., 65
Günther, E., 183
Günther, K., 183
Gyepes, R., 30

Henderson, R.A., 131
Herzog, U., 133
Hill, M.S., 71
Horáček, M., 30
Howard, J.A.K., 25
Huang, Z.-X., 123
Hutchison, A.R., 71

Jaber, N., 271
Johnston, R.L., 281

Kang, B.-S., 99
Karban, J., 81
Keizer, T.S., 71
Khan, M.A., 275
Kinnunen, T., 222
Klimova, E.I., 107
Klimova, T., 107
Kociok-Köhn, G., 11
Kretschmer, A., 233
Kubišta, J., 30
Kuhn, N., 280
Kundu, K., 211
Kuzmina, L.G., 25

Laasonen, K., 222
Lao, W.-J., 123
Leis, F., 39
Lemenovskii, D.A., 25
Lindner, E., 151
Lippolis, V., 280
Lis, T., 195

Macchioni, A., 255
Mach, K., 30
Maercker, A., 65
Ma, H.-Z., 99
Maria, L., 271
Martens-von Salzen, A., 280
Martínez García, M., 107
Merget, M., 183
Merzweiler, K., 144
Meunier, P., 30
Milius, W., 169
Mortreux, A., 114
Mountford, P., 25
Mugesh, G., 280

Naili, S., 114
Niedermayer, W., 46, 57
Nikol'skii, A.B., 195
Nikonov, G.I., 25
Nöth, H., 46
Nowogrocki, G., 114

Olejnik, Z., 195

Parkin, S., 71
Podkorytov, I.S., 195
Portius, P., 11

Reb, A., 169, 211
Rheinwald, G., 133
Roitershtein, D.M., 25
Ruthe, F., 280
Ruíz Ramírez, L., 107

Salesch, T., 151
Santos, I., 271
Saxena, A., 262
Schraml, J., 81
Seppälä, E., 280
Shankar, R., 262
Simons, R.S., 241
Smith, A.K., 1
Soukupová, L., 81
Štepnička, P., 30
Stolarzewicz, A., 65
Su, C.-Y., 99
Suisse, I., 114
Sun, J., 99
Sutherland, H.S., 155

Tacke, R., 183
Tessier, C.A., 241
Toscano, A.R., 107
Trzeciak, A.M., 195

VanAelstyn, M.A., 71
Varshavsky, Y.S., 195
Vázquez López, E.A., 107

Wachter, J., 39
Wagner, C., 144
Walawalker, M.G., 76
Warchhold, M., 46
Weis, A., 169
Wiberg, N., 46, 57
Winter, J.G., 11
Woodgate, P.D., 155
Wu, J.-J., 123

Xiong, Y.-L., 99

Yin, Y.-Q., 123
Youngs, W.J., 241
Yuan, J.-C., 123

Zabel, M., 39
Zhang, W., 99
Zhang, Y.-H., 123
Ziółkowski, J.J., 195
Zuccaccia, C., 255

PII: S0022-328X(01)00850-6

ELSEVIER

Journal of Organometallic Chemistry 628 (2001) 285–289

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Subject Index of Volume 628

Acetonitrile
Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, 91
Alkaline metals
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ ($R^* = Si\,tBu_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, 46
Alkene
Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, 155
Alkyne
Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, 91
Alkynes
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, 30
Aluminum
Monomeric Group 13 compounds with bidentate (N,O) ligands, 71
Amides
Iodo bis bistrimethylsilylamido lanthanides, 271
α-Amino acids
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, 183
Aminocarbene
Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, 155
ansa Half-sandwich complexes
Amido functionalized *ansa* half-sandwich dichloride complexes of titanium, zirconium and hafnium with alkyl and ω-alkenyl substituents as homogeneous and self-immobilizing catalyst precursors for ethylene polymerization, 169
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, 211
Arsenic
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_5]I$ and $[(C_5Me_4Et)_3Co_3AsSe_5][Cr(CO)_5I]$, 39
Aryl ketone
Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, 155
Asymmetric induction
Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, 107

Base-stabilized metal-silylines
Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_4]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_4]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER_2)_2(CO)_4]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), 241
Benzhydroxamic acid
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81
Benzhydroximic acid
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81
Bis(phosphines)
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N*,*N*′-dimethyl,-bis(-diphenylphosphino)ethylenediamine. The crystal and molecular structure of $[ReBr(CO)_3\{Ph_2PN(Me)CH_2\text{-}CH_2(Me)NPPh_2\}]$, 76
σ-Bond metathesis
Reactions of $Cp(NAr)NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ (Ar = 2,6-$C_6H_3^iPr_2$), 25

Carbene complexes
Stereoselective insertion of $GeCl_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, 11
Carbonyl
Protonation of metal–metal bonds: X-ray crystal structures of the complex salts $[Ru_2(CO)_4(\mu\text{-}H)(\mu\text{-}Cl)(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2\text{-}PPh_2)][BF_4]$ and $[M_2(CO)_4(\mu\text{-}H)_2(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2\text{-}PPh_2)][BF_4]$ (M = Fe, Ru), 144
Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, 91
Carbosilanes
Synthesis and reactivity of novel oligosilanes bearing functional carbosilane side chains, 262
Carbyne complexes
Stereoselective insertion of $GeCl_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, 11
Catalysis
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, 222
Chelate
Monomeric Group 13 compounds with bidentate (N,O) ligands, 71
Chelate complexes
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N*,*N*′-dimethyl,-bis(-diphenylphosphino)ethylenediamine. The crystal and molecular structure of $[ReBr(CO)_3\{Ph_2PN(Me)CH_2\text{-}CH_2(Me)NPPh_2\}]$, 76
Chemical shifts
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81
Chemoselectivity
Synthesis and reactivity of novel oligosilanes bearing functional carbosilane side chains, 262

PII: S0022-328X(01)00851-8

Chiral
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, 123
Chromium
Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, 155
Cluster complex
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, 123
^{13}C-NMR
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81
Cobalt
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_5]I$ and $[(C_5Me_4Et)_3Co_3AsSe_5][Cr(CO)_5I]$, 39
15-Crown-5
Self-decomposition of K^-, $K^+(15\text{-crown-}5)_2$ tetrahydrofuran solution via organometallic intermediates, 65
Crystal structure
Protonation of metal–metal bonds: X-ray crystal structures of the complex salts $[Ru_2(CO)_4(\mu\text{-}H)(\mu\text{-}Cl)(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ and $[M_2(CO)_4(\mu\text{-}H)_2(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ (M = Fe, Ru), 144
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, 123
Crystal structures
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, 99
C/Si/Ge bioisosterism
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, 183
Cyclopentadienyl
Reactions of $Cp(NAr)NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ (Ar = 2,6-$C_6H_3^iPr_2$), 25
Synthesis and X-ray structures of RuCpClL [L = $(\eta^1\text{-}PPh_2py)_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first η^3-$(PPh_2)_3CH$ complex of Ru(II), 1
Cyclopentadienyl lanthanide complex
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, 99
Cyclosilanes
Silylene R*XSi (R* = Si^{t}Bu$_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, 57

Dehydropolymerization
Synthesis and reactivity of novel oligosilanes bearing functional carbosilane side chains, 262
Density functional theory
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, 222
DFT calculations
Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_4]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_4]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER_2)_2(CO)_4]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), 241
Diastereoisomers
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, 123
Dihydropyrazol
Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, 107
Dimethyl iron complexes
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_2(PMe_3)_2CH_3I$ and $[M(CO)_3(PMe_3)_2CH_3]^+BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, 255
Dimethyl osmium complexes
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_2(PMe_3)_2CH_3I$ and $[M(CO)_3(PMe_3)_2CH_3]^+BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, 255
Diphenyl-2-phosphinopyridyl
Synthesis and X-ray structures of RuCpClL [L = $(\eta^1\text{-}PPh_2py)_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first η^3-$(PPh_2)_3CH$ complex of Ru(II), 1
Diphosphine
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2′biphenoxyphosphino) - 2 - (2,2′biphenoxyphosphinoxymethyl)pyrrolidine]dichloroplatinum(II), 114
Disilenes
Silylene R*XSi (R* = Si^{t}Bu$_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, 57
Diterpenoid
Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, 155
Donors
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ (R* = SitBu$_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, 46

Elimination
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, 222
Enantiomeric separation
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, 123
Ethylenediamine derivatives
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N*,*N*′-dimethyl,-bis(-diphenylphosphino)ethylenediamine. The crystal and molecular structure of $[ReBr(CO)_3\{Ph_2PN(Me)CH_2CH_2(Me)NPPh_2\}]$, 76
Ethylene polymerization
Amido functionalized *ansa* half-sandwich dichloride complexes of titanium, zirconium and hafnium with alkyl and ω-alkenyl substituents as homogeneous and self-immobilizing catalyst precursors for ethylene polymerization, 169
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, 211

Face-sharing defect dicubic Ln_4O_8 core
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, 99
Ferrocene
Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, 107

Four-membered rings
Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_4]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_4]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER_2)_2(CO)_4]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), 241

Gallium
Monomeric Group 13 compounds with bidentate (N,O) ligands, 71

Germanium
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, 183

Germylenes
Stereoselective insertion of $GeCl_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, 11

GnRH antagonists
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, 183

Group 4 metals
Amido functionalized *ansa* half-sandwich dichloride complexes of titanium, zirconium and hafnium with alkyl and ω-alkenyl substituents as homogeneous and self-immobilizing catalyst precursors for ethylene polymerization, 169
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, 211

^{1}H-NMR
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81

Homogeneous polymerization
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, 211

Hydroformylation
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2′biphenoxyphosphino) - 2 - (2,2′biphenoxyphosphinoxymethyl)pyrrolidine]dichloroplatinum(II), 114

Hydrosilylation
Synthesis and reactivity of novel oligosilanes bearing functional carbosilane side chains, 262

Insertion
Stereoselective insertion of $GeCl_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, 11

Iridium
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, 222

Iron
Protonation of metal–metal bonds: X-ray crystal structures of the complex salts $[Ru_2(CO)_4(\mu\text{-}H)(\mu\text{-}Cl)(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ and $[M_2(CO)_4(\mu\text{-}H)_2(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ (M = Fe, Ru), 144

Iron-silicon
Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_4]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_4]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER_2)_2(CO)_4]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), 241

β-Ketoiminato complexes
^{31}P-NMR and X-ray studies of new rhodium(I) β-ketoiminato complexes $Rh(R_1C(O)CHC(NH)R_2)(CO)(PZ_3)$ where $PZ_3 = PPh_3$, PCy_3, $P(OPh)_3$ or $P(NC_4H_4)_3$, 195

Lanthanides
Iodo bis bistrimethylsilylamido lanthanides, 271

MAS-NMR
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81

Mechanism
Comparative regiochemistry of protonation of $(\eta^6\text{-}C_6H_5R)$-(1,1′,1″ - tris(2 - diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and $SiMe_3$), 275

Metallacycles
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, 211

Metal–metal bond
Reactions of $Cp(NAr)NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ (Ar = 2,6-$C_6H_3^iPr_2$), 25

Methylhydride osmium complexes
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_2(PMe_3)_2CH_3I$ and $[M(CO)_3(PMe_3)_2CH_3]^+BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, 255

Mixed ligands
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_5]I$ and $[(C_5Me_4Et)_3Co_3AsSe_5][Cr(CO)_5I]$, 39

Molybdenum
Comparative regiochemistry of protonation of $(\eta^6\text{-}C_6H_5R)$-(1,1′,1″ - tris(2 - diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and $SiMe_3$), 275

Mononuclear
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N*,*N*′-dimethyl,-bis(-diphenylphosphino)ethylenediamine. The crystal and molecular structure of $[ReBr(CO)_3\{Ph_2PN(Me)CH_2CH_2(Me)NPPh_2\}]$, 76

Nd- and Pr-complexes
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, 99

Niobium
Reactions of $Cp(NAr)NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ (Ar = 2,6-$C_6H_3^iPr_2$), 25

NMR spectroscopy
Concentration dependence of the ^{1}H- and ^{29}Si-NMR chemical shifts of tetramethyldisiloxanediol in deuterated chloroform, 233

Noradamantane
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, 133

Organosilicon chemistry
Concentration dependence of the ^{1}H- and ^{29}Si-NMR chemical shifts of tetramethyldisiloxanediol in deuterated chloroform, 233

Oxidative addition
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, 30

Peptides
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, 183

Phosphido-bridged
Protonation of metal–metal bonds: X-ray crystal structures of the complex salts $[Ru_2(CO)_4(\mu\text{-}H)(\mu\text{-}Cl)(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ and $[M_2(CO)_4(\mu\text{-}H)_2(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ (M = Fe, Ru), 144

Phosphine
Comparative regiochemistry of protonation of $(\eta^6\text{-}C_6H_5R)$-(1,1′,1″ - tris(2 - diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and $SiMe_3$), 275

Phosphonite–phosphite
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2′biphenoxyphosphino) - 2 - (2,2′biphenoxyphosphinoxymethyl)pyrrolidine]dichloroplatinum(II), 114

Platinum
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2′biphenoxyphosphino) - 2 - (2,2′biphenoxyphosphinoxymethyl)pyrrolidine]dichloroplatinum(II), 114

Potassium alkalide
Self-decomposition of K^-, $K^+(15\text{-crown-}5)_2$ tetrahydrofuran solution via organometallic intermediates, 65

Potassium anion
Self-decomposition of K^-, $K^+(15\text{-crown-}5)_2$ tetrahydrofuran solution via organometallic intermediates, 65

Protonation
Comparative regiochemistry of protonation of $(\eta^6\text{-}C_6H_5R)$-(1,1′,1″ - tris(2 - diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and $SiMe_3$), 275

Reduction
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_2(PMe_3)_2CH_3I$ and $[M(CO)_3(PMe_3)_2CH_3]^+BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, 255

Reductive elimination
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_2(PMe_3)_2CH_3I$ and $[M(CO)_3(PMe_3)_2CH_3]^+BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, 255

Regioselectivity
Comparative regiochemistry of protonation of $(\eta^6\text{-}C_6H_5R)$-(1,1′,1″ - tris(2 - diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and $SiMe_3$), 275

Rhodium
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2′biphenoxyphosphino) - 2 - (2,2′biphenoxyphosphinoxymethyl)pyrrolidine]dichloroplatinum(II), 114
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, 222

Rhodium(I)
Supported organometallic complexes: Part XXIII. A general synthetic route for the synthesis of mono-T-silyl functionalized aromatic phosphines as ligands for chemistry in interphases, 151

Rhodium(I) complexes
^{31}P-NMR and X-ray studies of new rhodium(I) β-ketoiminato complexes $Rh(R_1C(O)CHC(NH)R_2)(CO)(PZ_3)$ where $PZ_3 = PPh_3$, PCy_3, $P(OPh)_3$ or $P(NC_4H_4)_3$, 195

Rotamers
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81

Ruthenium
Protonation of metal–metal bonds: X-ray crystal structures of the complex salts $[Ru_2(CO)_4(\mu\text{-}H)(\mu\text{-}Cl)(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ and $[M_2(CO)_4(\mu\text{-}H)_2(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ (M = Fe, Ru), 144
Synthesis and X-ray structures of RuCpClL [L = $(\eta^1\text{-}PPh_2py)_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first $\eta^3\text{-}(PPh_2)_3CH$ complex of Ru(II), 1

Schiff base
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, 99

Selenium
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_5]I$ and $[(C_5Me_4Et)_3Co_3AsSe_5][Cr(CO)_5I]$, 39
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, 133

Self-immobilization
Amido functionalized *ansa* half-sandwich dichloride complexes of titanium, zirconium and hafnium with alkyl and ω-alkenyl substituents as homogeneous and self-immobilizing catalyst precursors for ethylene polymerization, 169

Silanes
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, 30

Silanides
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ ($R^* = Si\,tBu_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, 46
Silylene R*XSi ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, 57

Silanol
Concentration dependence of the ^1H- and ^{29}Si-NMR chemical shifts of tetramethyldisiloxanediol in deuterated chloroform, 233

Silicon
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ ($R^* = Si\,tBu_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, 46
Silylene R*XSi ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, 57
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, 183

Silthianes
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, 133

Silylenes
Silylene R*XSi ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, 57

^{29}Si-NMR
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81

Solvent effects
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81
Stereospecificity
Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, 107
Substitution reaction
^{31}P-NMR and X-ray studies of new rhodium(I) β-ketoiminato complexes $Rh(R_1C(O)CHC(NH)R_2)(CO)(PZ_3)$ where $PZ_3 = PPh_3$, PCy_3, $P(OPh)_3$ or $P(NC_4H_4)_3$, 195
Sulfur
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_5]I$ and $[(C_5Me_4Et)_3Co_3AsSe_5][Cr(CO)_5I]$, 39
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, 133
Supersilyl
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, 46
Silylene R*XSi ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, 57
Supported complexes
Supported organometallic complexes: Part XXIII. A general synthetic route for the synthesis of mono-T-silyl functionalized aromatic phosphines as ligands for chemistry in interphases, 151

Tautomers
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81
t-Butyldimethylsilyl derivatives
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81
t-Butyldiphenylsilyl derivatives
Structure of monosilylated benzhydroxamic acids in crystals and solutions, 81
Tellurium
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, 133
Tertiaryphosphine
Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, 91
Tetranuclear lanthanide cluster complex
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, 99
Titanium
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, 30
Titanocenes
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, 30
Transition metal
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, 123
Transition metal complexes
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N*,*N*′-dimethyl,-bis(-diphenylphosphino)ethylenediamine. The crystal and molecular structure of $[ReBr(CO)_3\{Ph_2PN(Me)\text{-}CH_2CH_2(Me)NPPh_2\}]$, 76
Triphos phosphines
Synthesis and X-ray structures of RuCpClL [L = $(\eta^1\text{-}PPh_2py)_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first $\eta^3\text{-}(PPh_2)_3CH$ complex of Ru(II), 1
Tripod phosphines
Synthesis and X-ray structures of RuCpClL [L = $(\eta^1\text{-}PPh_2py)_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first $\eta^3\text{-}(PPh_2)_3CH$ complex of Ru(II), 1
T-Silyl functionalized phosphines
Supported organometallic complexes: Part XXIII. A general synthetic route for the synthesis of mono-T-silyl functionalized aromatic phosphines as ligands for chemistry in interphases, 151
Tungsten
Stereoselective insertion of $GeCl_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, 11
Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, 91

Weak hydrogen bonds
Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_4]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_4]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER_2)_2(CO)_4]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), 241

X-ray
^{31}P-NMR and X-ray studies of new rhodium(I) β-ketoiminato complexes $Rh(R_1C(O)CHC(NH)R_2)(CO)(PZ_3)$ where $PZ_3 = PPh_3$, PCy_3, $P(OPh)_3$ or $P(NC_4H_4)_3$, 195
X-ray crystallography
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, 30
X-ray diffraction
Reactions of $Cp(NAr)NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ ($Ar = 2,6\text{-}C_6H^i_3Pr_2$), 25
X-ray structural analysis
Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, 107